## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3851	Showa (aluminium or aluminum).as.	US POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/02/28 08:04
L2	277	Isoyama-Eizo.in.	US POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/02/28 08:05
L3	4112	L1 or L2	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:05
L4	4188	Pechiney Phenalu.as. or Phenalu.as. or Alcan.as.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:05
L5	8300	i3 or L4	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:05

L6	268	1.5 and (aluminium or aluminum or al) and capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:06
L7	245	1.5 and (aluminium or aluminum or al) same capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:06
L8	1	L5 and (aluminium or aluminum or al) same capacitor and carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:06
L11	5069	((aluminum or aluminium or al) adj2 carbide) or "Al.sub.4C.sub.3"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:09
L12	44	L11 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:10
L13	2	"20050205645"	US-PGPUB; DERWENT	ADJ	ON	2008/02/28 08:11
L14	1	L13 and L12	US-PGPUB; DERWENT	ADJ	ON	2008/02/28 08:11
L15	392	capacitor and L11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:12

L16	892	148/206,210,211,240,316.cds.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:56
L17	892	148/206;210,211,240,316.cds. not L15	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:56
L19	212	L17 and (aluminum or aluminium or al adj2 (base or balance or alloy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:57
L20	66	L19 and carbide	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:58
L21	34	L19 and carbide same (aluminum or aluminium or al)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 08:58
22	42	148/415-418.ccls. and carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:03

24	33	148/415-418.cols.and (carbide same (aluminum or aluminium or al) or "Al. sub.4C.sub.3")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:04
25	170	420/528-554,590-591 and ((aluminum or aluminium or al) adj2 carbide) or "Al. sub. 4C sub. 3"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:06
26	500	L15 or L20 or L21 or L22 or L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:07
27	157	L25 not L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:07
28	657	L27 or L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:10
29	2614	361/502,508,509,528,529.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:11

.30	19	[361/502,508,509,528,529.cds. and ((aluminum or aluminium or al) adj2 icarbide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:11
.32	1468	iL29 and (aluminum or aluminium or (al adj2 (base or balance or alloy or foil or strip or sheet)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:13
.33	804	i.29 and (aluminum or aluminium or (al adj2 (base or balance or alloy or foil or strip or sheet))) and anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:14
.35	30	i.29 and (aluminum or aluminium or (al adj2 (base or balance or alloy or foil or strip or sheet))) and anode same carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:17
.36	6944	428/408,698.cds.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/02/28 09:20
.39	79	428/408,698.cds. and (((aluminum or aluminium or al) adj2 carbide) or "Al. sub.4C.sub.3") same (surface or coat\$4 or layer)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:22

L40	729	L39 or L28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:25
L41	4234	428/469.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:25
L42	914	428/469.cds. and carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:25
L43	59	428/469.cds. and carbide same (electrode or anode or capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:25
L44	56	428/469.cds, and carbide same (electrode or anode or capacitor) not L40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:25
L46	2938	427/228,291.1,249.17,255.23,255.26,374.2,374.3,377.cdls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:27

.47	785	L40 or L44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:28
48	2929	L46 not L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:28
54	209	L48 and (aluminum or aluminium or (al adj2 (alloy or base or balance or remainder or foil or strip or sheet))) and (carbide same (aluminum or aluminium or al) or "Al.sub.4C.sub.3")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:32
55	54	L48 and (aluminum or aluminium or (al adj2 (alloy or base or balance or remainder or foil or strip or sheet))) and (carbide same (aluminum or aluminium or al) or "Al.sub.4C.sub.3") and (anode or electrode or capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:32
56	839	L55 or L47	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:36
57	41	L03-B03G and carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:36

58	39	L03-B03G and carbide not L56	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:36
.60	44	V01-B\$3 and ((aluminum or aluminium or al) and carbide or "Al.sub.4C. sub.3")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:41
61	907	L58 or L60 or L56	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:50
.62	3	H01Q009/45.ipc. or H01Q009/55.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:50
64	41	H01Q009/045.jpc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:51
67	417	H01G009/055.jpc.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:51

.70	40	H01G\$8.ipc. and (((aluminum or aluminium or al) adj2 carbide) or "Al. sub.4Csub.3")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:57
.72	19560	(C220021/\$3.ipc. or C21D001/76.ipc. or C22F001/02.ipc. or C22F001/04. ipc. or C230008/\$3.ipc.) not L61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:02
.73	10866	L72 and (aluminum or aluminium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:02
74	402	L72 and (aluminum or aluminium) and carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:02
.75	250	L72 and (aluminum or aluminium) same carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:02
.76	32	L72 and (aluminum or aluminium) near30 (sheet or strip or foil or layer) same carbide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:03

L77	4426	L11 not L61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:04
L78	1092	1.77 and (anode or electrode or capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:04
L79	1046	L77 and (anode or electrode or capacitor) and (aluminium or aluminum or (al adj2 (base or balance or alloy or remainder)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:05
L80	959	L77 and (anode or electrode or capacitor) and (sheet or strip or foil or layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:05
L81	542	[L77 and (anode or electrode or capacitor) and (sheet or strip or foil or layer) near30 (aluminum or aluminium or (al adj2 (alloy or base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:06
L82	181	L77 and (anode or capacitor) and (sheet or strip or foil or layer) near30 (aluminum or aluminium or (al adj2 (alloy or base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 10:06
S1	2	"20050205645"	US-PGPUB; DERWENT	ADJ	ON	2008/02/26 19:18
S2	1	"7327556".pn.	USPAT	ADJ	ON	2008/02/27 15:44

S3	2	("5626963"   "6808845").PN. OR ("7327556").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/27 15:47
S4	1	"7070631".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/27 15:53
S5	2	(6471793 5518823).pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/27 16:01
S6	4188	Pechiney Phenalu.as. or Phenalu.as. or Alcan.as.	US PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/27 16:46
S7	3	Boehm-Matthieu.in.	US PCPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2008/02/27 16:46
S8	6	Butruille-Jean-Remi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; !BM_TDB	ADJ	ON	2008/02/27 16:46

<sup>2/28/2008 10:16:42</sup> AM

C:\ Documents and Settings\ mshevin\ My Documents\ EAST\ Workspaces\ 10-524118.wsp